

## HYDROSOL A

SDS Preparation Date (mm/dd/yyyy): 12/18/2018

Page 1 of 12

# SAFETY DATA SHEET

### **SECTION 1. IDENTIFICATION**

Product identifier used on the label			
	:	HYDROSOL A	
Product Code(s)	:	SC602.01	
Recommended use of the chemical and restrictions on use			
	:	Cleaning Detergent/Degreaser Recommended restrictions: No	restrictions on use known.
Chemical family	:	Mixture	
Name, address, and telephone number of the supplier:		ne number	Name, address, and telephone number of the manufacturer:
CONCEPTUAL TECHNOL	00	GIES INC	Refer to supplier
6812/14-78 Avenue NW Edmonton, AB, Canada T6B 2J5			
Supplier's Telephone #	:	780-466-6146 [9:00 am - 5:00 p	m]
24 Hr. Emergency Tel #	:	780-466-6146	
SECTION 2. HAZARDS II	)EI	NTIFICATION	

#### Classification of the chemical

Clear, tan liquid . Odourless.

Most important hazards: Causes severe skin burns and eye damage. May be corrosive to metals. May cause respiratory irritation. Ingestion may cause severe burns to the mucous membranes of the digestive tract. Avoid release to the environment.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification: Corrosive to Metals - Category 1 Skin Corrosion/Irritation - Category 1 Eye Damage/Irritation - Category 1 Specific Target Organ Toxicity, Single Exposure -Category 3 (respiratory)

#### Label elements

Hazard pictogram(s)



DANGER! Hazard statement(s)

> May be corrosive to metals. Causes severe skin burns and eye damage. May cause respiratory irritation.



Page 2 of 12

# SAFETY DATA SHEET

#### Precautionary statement(s)

Keep only in original container. Do not breathe mist. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/clothing and eye/face protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Absorb spillage to prevent material damage.

Store in corrosive resistant container with a resistant inner liner. Store locked up. Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local regulation.

#### Other hazards

Other hazards which do not result in classification:

Burning produces obnoxious and toxic fumes. Chronic skin contact with low concentrations may cause dermatitis. Contact with metals may release small amounts of flammable hydrogen gas.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	Common name and synonyms	<u>CAS #</u>	Concentration (% by weight)
Sodium metasilicate pentahydrate	Silicic acid (H2SiO3), disodium salt, pentahydrate Sodium silicate hydrate	10213-79-3	10.0 - 30.0
Sodium Gluconate	Sodium gluconate	527-07-1	10.0 - 30.0
Dipropylene glycol monomethyl ether	1-(2-Methoxypropoxy) -2-propanol DPGME	34590-94-8	5.0 - 10.0
Dodecylbenzenesulfonic acid	Laurylbenzenesulfonic acid Alkylbenzene sulfonic acid DDBSA	27176-87-0	1.0 - 5.0

The exact concentrations of the above listed chemicals are being withheld as a trade secret.

#### **SECTION 4. FIRST-AID MEASURES**

#### Description of first aid measures

Ingestion	<ul> <li>Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Have victim rinse mouth with water, then give one to two glasses of water to drink. Seek immediate medical attention/advice.</li> </ul>
Inhalation	<ul> <li>Immediately remove person to fresh air. If breathing is difficult, give oxygen by qualified medical personnel only. If breathing has stopped, give artificial respiration. Seek immediate medical attention/advice.</li> </ul>



Page 3 of 12

# SAFETY DATA SHEET

Skin contact	: Wear appropriate protective equipment. Remove/Take off immediately all contaminated clothing. Immediately flush skin with gently flowing, running water for at least 20 minutes. Do not rub area of contact. Obtain medical attention immediately. Wash contaminated clothing before reuse. Contaminated leather may require disposal.
Eye contact	: Wear appropriate protective equipment. Protect unharmed eye. If in contact with eyes, immediately flush eyes with running water for at least 20 minutes. If contact lens is present, DO NOT delay flushing or attempt to remove the lens until flushing is done. Obtain medical attention immediately. and effects, both acute and delayed
moot important oymptomo	· · · · · · · · · · · · · · · · · · ·
	: Causes severe skin irritation. Symptoms may include redness, blistering, pain and swelling. Causes serious eye damage. Symptoms may include severe pain, blurred vision, redness and corrosive damage. May cause respiratory irritation. Symptoms may include coughing, choking and wheezing. Could result in pulmonary edema (fluid accumulation). Symptoms of pulmonary edema (chest pain, shortness of breath) may be delayed. Ingestion may cause severe burns to the mucous membranes of the digestive tract. Symptoms may include abdominal pain, vomiting, burns, perforations and bleeding.
Indication of any immediate	e medical attention and special treatment needed
	<ul> <li>Immediate medical attention is required. Causes chemical burns. Treat symptomatically</li> </ul>

symptomatically.

### SECTION 5. FIRE-FIGHTING MEASURES

## Extinguishing media

Suitable extinguishing media	
: Use media suitable to the surrounding fire such as water fog or fine spray, alcohol foams, carbon dioxide and dry chemical. Use water spray with caution.	
Unsuitable extinguishing media	
: Do not use a solid water stream as it may scatter and spread fire.	
Special hazards arising from the substance or mixture / Conditions of flammability	
<ul> <li>Not considered flammable. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure.Contact with most metals will generate flammable hydrogen gas.</li> <li>Flammability classification (OSHA 29 CFR 1910.106)</li> </ul>	
: Not flammable.	
Hazardous combustion products	
: Sulfur oxides ,Carbon oxides, Sodium oxides.	
Special protective equipment and precautions for firefighters Protective equipment for fire-fighters	
<ul> <li>Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.</li> </ul>	
Special fire-fighting procedures	
: Move containers from fire area if safe to do so. Use water to cool fire-exposed containers. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply or any natural waterway. Dike for water control.	
SECTION 6. ACCIDENTAL RELEASE MEASURES	

#### Personal precautions, protective equipment and emergency procedures

: Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment including self-contained breathing apparatus. Refer to Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION, for additional information on acceptable personal protective equipment.



Page 4 of 12

# SAFETY DATA SHEET

Environmental precautions Methods and material for cont	: Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply.
	•
	: Remove all sources of ignition. Ventilate area of release. Stop the spill at source if it is safe to do so. Dike for water control. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Notify the appropriate authorities as required.
Special spill response proced	ures
	If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802).
	US CERCLA Reportable quantity (RQ): See section 15.
SECTION 7. HANDLING AN	ND STORAGE
Precautions for safe handling	
	Wear protective gloves/clothing and eye/face protection. Use only in well-ventilated areas. Do not breathe fumes or mists. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Keep away from heat and flame. Keep away from incompatibles. Keep only in original container.Keep containers tightly closed when not in use.
Conditions for safe storage	: Store in a well-ventilated place. Keep container tightly closed. Store locked up. Keep away from incompatibles. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. Store in corrosion-resistant containers.

Incompatible materials : Strong oxidizing agents

### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:				
Chemical Name	ACGIH	TLV	<u>OSHA</u>	PEL
	<u>TWA</u>	<u>STEL</u>	PEL	STEL
Sodium metasilicate pentahydrate	N/Av	N/Av	N/Av	N/Av
Sodium Gluconate	N/Av	N/Av	N/Av	N/Av
Dipropylene glycol monomethyl ether	100 ppm (skin)	150 ppm (skin)	100 ppm (600 mg/m³) (skin)	N/Av
Dodecylbenzenesulfonic acid	N/Av	N/Av	N/Av	N/Av

**Exposure controls** 

### Ventilation and engineering measures

	: Use only in well-ventilated areas. Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits.
Respiratory protection	: Respiratory protection is required if the concentrations exceed the TLV.
	NIOSH-approved respirators are recommended. Seek advice from respiratory protection specialists.
Skin protection	: Wear protective gloves/clothing. Advice should be sought from glove suppliers. Wear appropriate protective clothing to prevent skin contact, such as coveralls or long sleeved shirt, long pants, and shoes and socks.



Page 5 of 12

# SAFETY DATA SHEET

Eye / face protection	Chemical splash goggles must be worn when handling this material. A full face shield may also be necessary.	ł	
Other protective equipment	An eyewash station and safety shower should be made available in the immediate working area. Other equipment may be required depending on workplace standards.		
General hygiene considerati	General hygiene considerations		
	Do not breathe fumes or mists. Do not ingest. Avoid contact with skin, eyes and clothing. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toile facilities. Remove soiled clothing and wash it thoroughly before reuse.	et	
SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES			
Appearance	Clear, light tan liquid.		

Appearance	:	Clear, light tan liquid.
Odour	:	No odour.
Odour threshold	:	Not applicable.
рН	:	10.5
Melting/Freezing point	:	-10°C
Initial boiling point and boili	ng	range
	:	110°C
Flash point	:	Not applicable.
Flashpoint (Method)	:	Not applicable.
Evaporation rate (BuAe = 1)	:	N/Av
Flammability (solid, gas)	:	Not applicable.
Lower flammable limit (% by	vo	h.)
	:	Not applicable.
Upper flammable limit (% by	vc	l.)
	:	Not applicable.
Oxidizing properties	:	None known.
Explosive properties	:	Not explosive
Vapour pressure	-	Not available.
Vapour density		Not available.
Relative density / Specific gravity		
	:	1.02
Solubility in water	:	Very soluble
Other solubility(ies)	:	Not available.
Partition coefficient: n-octan	ol/	water or Coefficient of water/oil distribution
	:	Not available.
Auto-ignition temperature	:	
Decomposition temperature	1	
Viscosity	:	
Volatiles (% by weight)	:	
Volatile organic Compounds	()	
	:	Not available.
Absolute pressure of contain	nei	
	:	Not applicable.
Flame projection length	:	Not applicable.
Other physical/chemical con	nm	ents
	:	None known or reported by the manufacturer.

# SECTION 10. STABILITY AND REACTIVITY

Reactivity

: Not normally reactive. May be corrosive to metals. Contact with most metals will generate flammable hydrogen gas.



Page 6 of 12

# SAFETY DATA SHEET

Chemical stability	: Material is stable under normal conditions.	
Possibility of hazardous rea	ctions	
	: Hazardous polymerization does not occur.	
Conditions to avoid	: Avoid heat and open flame. Keep away from incompatibles. Keep container tightly closed when not in use.	
Incompatible materials	: See Section 7 (Handling and Storage) for further details.	
Hazardous decomposition products		
	: None known, refer to hazardous combustion products in Section 5.	

### SECTION 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure:

Routes of entry inhalation	:	YES
Routes of entry skin & eye	:	YES
Routes of entry Ingestion	:	YES
Routes of exposure skin abs	orp	otion
		NO

: NO

#### **Potential Health Effects:**

#### Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

	:	May cause severe irritation to the nose, throat and respiratory tract. Symptoms may include coughing, choking and wheezing. Could result in pulmonary edema (fluid accumulation). Symptoms of pulmonary edema (chest pain, shortness of breath) may be delayed.
Sign and symptoms ingestior	1	
	:	May cause severe irritation and corrosive damage in the mouth, throat and stomach. Symptoms may include abdominal pain, vomiting, burns, perforations, bleeding and eventually death.
Sign and symptoms skin	:	Causes skin burns. Symptoms may include redness, blistering, pain and swelling.
Sign and symptoms eyes	:	Causes serious eye damage. Symptoms may include severe pain, tearing, redness, swelling and blurred vision. Permanent eye damage including blindness could result.
Potential Chronic Health Effe	ct	
	:	Chronic skin contact with low concentrations may cause dermatitis.
Mutagenicity	:	Not expected to be mutagenic in humans.
Carcinogenicity	:	No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.
Reproductive effects & Terate	og	enicity
	:	Not expected to have other reproductive effects.
Sensitization to material	:	Not expected to be a skin or respiratory sensitizer.
Specific target organ effects	:	Target Organs: Eyes, skin, respiratory system and digestive system.
		This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification: Specific Target Organ Toxicity, Single Exposure -Category 3 (respiratory) May cause respiratory irritation.
		The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Medical conditions aggravate	əd	1
	:	Pre-existing skin, eye and respiratory disorders.



Page 7 of 12

# SAFETY DATA SHEET

 

 Synergistic materials
 : Not available.

 Toxicological data
 : There is no available data for the product itself, only for the ingredients. See below for individual ingredient acute toxicity data. The calculated ATE values for this mixture are: ATE dermal =44,444 mg/kg ATE oral = 6408.76 mg/kg

	LC₅₀(4hr)	LD	950	
Chemical name	inh, rat	(Oral, rat)	<u>(Rabbit, dermal)</u>	
Sodium metasilicate pentahydrate	> 2.06 mg/L (mist) (No mortality) (anhydrous)	1152 - 1349 mg/kg (anhydrous)	> 5000 mg/kg (anhydrous)	
Sodium Gluconate	N/Av	N/Av	N/Av	
Dipropylene glycol monomethyl ether	> 3 mg/L (mist) (No mortality)	5120 mg/kg	9480 mg/kg	
Dodecylbenzenesulfonic acid	N/Av	650 mg/kg	2000 mg/kg	

Other important toxicological hazards

: None known or reported by the manufacturer.

### SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

: Not expected to be harmful to aquatic organisms. However, these ingredients are present at such low levels, they are not expected to affect environmental toxicity. Avoid release to the environment.

#### Ecotoxicity data:

<u>Ingredients</u>	0.1.0.11	Toxicity to Fish				
	CAS No	LC50 / 96h	NOEC / 21 day	M Factor		
Sodium metasilicate pentahydrate	10213-79-3	260 - 310 mg/L (Rainbow trout)	N/Av	None.		
Dipropylene glycol monomethyl ether	34590-94-8	> 10,000 mg/L (Fathead minnow)	N/Av	None.		
Dodecylbenzenesulfonic acid	27176-87-0	3.2 - 5.6 mg/L (Rainbow trout)	1.121 mg/L (30 days) (QSAR)	None.		

Ingredients	CAS No	Toxicity to Daphnia			
		EC50 / 48h	NOEC / 21 day	M Factor	
Sodium metasilicate pentahydrate	10213-79-3	1700 mg/L (Daphnia magna)	N/Av	None.	
Dipropylene glycol monomethyl ether	34590-94-8	1919 mg/L (Daphnia magna)	≥ 0.5 mg/L	None.	
Dodecylbenzenesulfonic acid	27176-87-0	5.88 mg/L (Daphnia magna)	1.65 mg/L (Read-across)	None.	



Page 8 of 12

# SAFETY DATA SHEET

Ingredients	CAS No	Toxicity to Algae			
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor	
Sodium metasilicate pentahydrate	10213-79-3	≥ 345 mg/L/72hr (Green algae)	N/Av	None.	
Dipropylene glycol monomethyl ether	34590-94-8	> 969 mg/L/72hr (Green algae)	969 mg/L/72hr	None.	
Dodecylbenzenesulfonic acid	27176-87-0	65.4 mg/L/72hr (Green algae)	7.9 mg/L/72hr	None.	

### Persistence and degradability

: No data is available on the product itself.

Bioaccumulation potential

: No data is available on the product itself.

<u>Components</u>	Partition coefficient n-octanol/water (log Kow)	Bioconcentration factor (BCF)
Sodium metasilicate pentahydrate (CAS 10213-79-3)	N/Ap	N/Ap
Dipropylene glycol monomethyl ether (CAS 34590-94-8)	0.0061	< 1
Dodecylbenzenesulfonic acid (CAS 27176-87-0)	1.96	36 - 119
	No data is available on the product itself.	
Other Adverse Environmental e	ffects	
:	No data is available on the product itself.	

### SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal Methods of Disposal	dle waste according to recommose in accordance with all app lations.	nendations in Section 7. licable federal, state, provincial and local
RCRA	ria of a hazardous waste as de	es a waste in the United States, it may meet the fined under RCRA, Title 40 CFR 261.For disposal with local, state and federal environmental



Page 9 of 12

# SAFETY DATA SHEET

### SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
TDG	UN1760	CORROSIVE LIQUID, N.O.S. (Dodecylbenzenesulfonic acid)	8	II	
TDG Additional information	May be shipped exceeding 30 k	d as LIMITED QUANTITY when transported in quantities no g gross mass.	o larger than 1	Litre, in pac	kages not
49CFR/DOT	UN1760	Corrosive liquid, n.o.s. (Dodecylbenzenesulfonic acid)	8	II	R R R R R R R R R R R R R R R R R R R
49CFR/DOT Additional information	May be shipped	d as a limited quantity in receptacles not exceeding 1.0 Lite	rs, according t	o 49 CFR 1	73.154.
ICAO/IATA	UN1760	Corrosive liquid, n.o.s. (Dodecylbenzenesulfonic acid)	8	II	
ICAO/IATA Additional information	Refer to ICAO/	ATA Packing Instruction			
mormation			-		
IMDG	UN1760	CORROSIVE LIQUID, N.O.S. (Dodecylbenzenesulfonic acid)	8	II	No. 10 August 10

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not available.

### **SECTION 15 - REGULATORY INFORMATION**

#### **US Federal Information:**

Components listed below are present on the following U.S. Federal chemical lists:

In ave dia sta	010 #	TSCA	CERCLA Reportable	SARA TITLE III: Sec. 302, Extremely	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical			
<u>Ingredients</u>	CAS #	Inventory	Quantity(RQ) (40 CFR 117.302): Hazardous Substance, 40 CFR 355:	Toxic Chemical	de minimus Concentration			
Sodium metasilicate pentahydrate	10213-79-3	NL	N/Ap	N/Av	No	N/Ap		
Sodium Gluconate	527-07-1	Yes	N/Ap	N/Av	No	N/Ap		
Dipropylene glycol monomethyl ether	34590-94-8	Yes	None.	None.	No	N/Ap		
Dodecylbenzenesulfonic acid	27176-87-0	Yes	1000 lb/ 454 kg	None.	No	N/Ap		



Page 10 of 12

## SAFETY DATA SHEET

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Corrosive to metals; Skin corrosion; Eye Damage;Specific target organ toxicity, single exposure. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

#### US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

Ingredients	CAS#	California Proposition 65		State "Right to Know" Lists					
	040 #	Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Sodium metasilicate pentahydrate	10213-79-3	No	N/Ap	No	No	No	No	No	No
Sodium Gluconate	527-07-1	No	N/Ap	No	No	No	No	No	No
Dipropylene glycol monomethyl ether	34590-94-8	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes
Dodecylbenzenesulfonic acid	27176-87-0	No	N/Ap	Yes	Yes	No	Yes	Yes	No

#### Canadian Information:

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product. All ingredients listed appear on the Domestic Substances List (DSL) except: CAS# 10213-79-3

#### International Information:

Components listed below are present on the following International Inventory list:

Ingredients	CAS #	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Sodium metasilicate pentahydrate	10213-79-3	229-912-9 (anhydrous )	Present	Present	(1)-508	KE-12354	Present	HSR003419
Sodium Gluconate	527-07-1	208-407-7	Present	Present	(2)-1410	KE-17676	Present	Present
Dipropylene glycol monomethyl ether	34590-94-8	252-104-2	Present	Present	(7)-97; (2)-426	KE-12230	Present	HSR001402
Dodecylbenzenesulfonic acid	27176-87-0	248-289-4	Present	Present	(3)-1907; (3)-1884	KE-12947	Present	HSR003407

#### **SECTION 16. OTHER INFORMATION**

Legend

: ACGIH: American Conference of Governmental Industrial Hygienists CA: California

CAS: Chemical Abstract Services

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980

CFR: Code of Federal Regulations

CSA: Canadian Standards Association

DOT: Department of Transportation

EPA: Environmental Protection Agency

HMIS: Hazardous Materials Identification System

HSDB: Hazardous Substances Data Bank

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association



Page 11 of 12

## SAFETY DATA SHEET

Preparation Date (mm/dd/yyyy) : Other special considerations fo	12/18/2018 or handling		
: Provide adequate information, instruction and training for operators.			
Prepared for: CONCEPTUAL TECHNOLOGIE 6812/14-78 Avenue NW Edmonton, AB T6B 2J5 Telephone: 780-466-6146	S INC		CTI

Prepared by:

ICC The Compliance Center Inc. Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada) http://www.thecompliancecenter.com



## DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by CONCEPTUAL TECHNOLOGIES INC. and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for



Page 12 of 12

## SAFETY DATA SHEET

your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and CONCEPTUAL TECHNOLOGIES INC expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and CONCEPTUAL TECHNOLOGIES INC

### END OF DOCUMENT