



FOAMAXX 44

SDS Preparation Date (mm/dd/yyyy): 12/18/2018

Page 1 of 12

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product identifier used on the label

: **FOAMAXX 44**

Product Code(s) : SC609.01

Recommended use of the chemical and restrictions on use

: Air Cooled Heat Exchanger Treatment Solution
Recommended restrictions: No restrictions on use known.

Chemical family : Mixture

Name, address, and telephone number
of the supplier:

CONCEPTUAL TECHNOLOGIES INC

6812/14-78 Avenue NW
Edmonton, AB, Canada
T6B 2J5

Supplier's Telephone # : 780-466-6146 [9:00 am - 5:00 pm]

24 Hr. Emergency Tel # : 780-466-6146

Name, address, and telephone number of
the manufacturer:

Refer to supplier

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Clear amber liquid. . Odourless.

Most important hazards: Causes severe skin burns and eye damage. May be corrosive to metals. May cause respiratory irritation. Ingestion may cause severe burns to the mucous membranes of the digestive tract. Avoid release to the environment.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification:

Corrosive to Metals - Category 1

Skin Corrosion/Irritation - Category 1

Eye Damage/Irritation - Category 1

Specific Target Organ Toxicity, Single Exposure -Category 3 (respiratory)

Label elements

Hazard pictogram(s)



Signal Word

DANGER!

Hazard statement(s)

May be corrosive to metals.
Causes severe skin burns and eye damage.
May cause respiratory irritation.



FOAMAXX 44

SDS Preparation Date (mm/dd/yyyy): 12/18/2018

Page 2 of 12

SAFETY DATA SHEET

Precautionary statement(s)

Keep only in original container.
Do not breathe mist.
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/clothing and eye/face protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
Wash contaminated clothing before reuse.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Immediately call a POISON CENTER or doctor/physician.
Absorb spillage to prevent material damage.

Store in corrosive resistant container with a resistant inner liner.
Store locked up.
Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local regulation.

Other hazards

Other hazards which do not result in classification:

Burning produces obnoxious and toxic fumes. Chronic skin contact with low concentrations may cause dermatitis.
Contact with metals may release small amounts of flammable hydrogen gas.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

<u>Chemical name</u>	<u>Common name and synonyms</u>	<u>CAS #</u>	<u>Concentration (% by weight)</u>
Sodium metasilicate pentahydrate	Silicic acid (H ₂ SiO ₃), disodium salt, pentahydrate Sodium silicate hydrate	10213-79-3	10.0 - 30.0
Ethylenediamine-tetraacetic acid (EDTA)	EDTA	60-00-4	5.0 - 10.0
Dodecylbenzenesulfonic acid	Laurylbenzenesulfonic acid Alkylbenzene sulfonic acid DDBSA	27176-87-0	1.0 - 5.0
2-butoxyethanol	Ethylene glycol monobutyl ether butyl cellosolve Glycol Ether EB EGBE	111-76-2	1.0 - 5.0
Benzenesulfonic acid C10-16-alkyl derivatives, sodium salts	Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts	68081-81-2	1.0 - 5.0

The exact concentrations of the above listed chemicals are being withheld as a trade secret.

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

Ingestion : Never give anything by mouth to an unconscious person. Do NOT induce vomiting.
Have victim rinse mouth with water, then give one to two glasses of water to drink.
Seek immediate medical attention/advice.



FOAMAXX 44

SDS Preparation Date (mm/dd/yyyy): 12/18/2018

Page 3 of 12

SAFETY DATA SHEET

- Inhalation* : Immediately remove person to fresh air. If breathing is difficult, give oxygen by qualified medical personnel only. If breathing has stopped, give artificial respiration. Seek immediate medical attention/advice.
- Skin contact* : Wear appropriate protective equipment. Remove/Take off immediately all contaminated clothing. Immediately flush skin with gently flowing, running water for at least 20 minutes. Do not rub area of contact. Obtain medical attention immediately. Wash contaminated clothing before reuse. Contaminated leather may require disposal.
- Eye contact* : Wear appropriate protective equipment. Protect unharmed eye. If in contact with eyes, immediately flush eyes with running water for at least 20 minutes. If contact lens is present, DO NOT delay flushing or attempt to remove the lens until flushing is done. Obtain medical attention immediately.

Most important symptoms and effects, both acute and delayed

- : Causes severe skin irritation. Symptoms may include redness, blistering, pain and swelling. Causes serious eye damage. Symptoms may include severe pain, blurred vision, redness and corrosive damage. May cause respiratory irritation. Symptoms may include coughing, choking and wheezing. Could result in pulmonary edema (fluid accumulation). Symptoms of pulmonary edema (chest pain, shortness of breath) may be delayed. Ingestion may cause severe burns to the mucous membranes of the digestive tract. Symptoms may include abdominal pain, vomiting, burns, perforations and bleeding.

Indication of any immediate medical attention and special treatment needed

- : Immediate medical attention is required. Causes chemical burns. Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

- : Use media suitable to the surrounding fire such as water fog or fine spray, alcohol foams, carbon dioxide and dry chemical. Use water spray with caution.

Unsuitable extinguishing media

- : Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture / Conditions of flammability

- : Not considered flammable. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure. Contact with most metals will generate flammable hydrogen gas.

Flammability classification (OSHA 29 CFR 1910.106)

- : Not flammable.

Hazardous combustion products

- : Sulfur oxides, Carbon oxides, Sodium oxides.

Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

- : Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Special fire-fighting procedures

- : Move containers from fire area if safe to do so. Use water to cool fire-exposed containers. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply or any natural waterway. Dike for water control.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures



FOAMAXX 44

SDS Preparation Date (mm/dd/yyyy): 12/18/2018

Page 4 of 12

SAFETY DATA SHEET

: Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment including self-contained breathing apparatus. Refer to Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION, for additional information on acceptable personal protective equipment.

Environmental precautions : Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply.

Methods and material for containment and cleaning up

: Remove all sources of ignition. Ventilate area of release. Stop the spill at source if it is safe to do so. Dike for water control. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Notify the appropriate authorities as required.

Special spill response procedures

: If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802).
 US CERCLA Reportable quantity (RQ): See section 15.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

: Wear protective gloves/clothing and eye/face protection. Use only in well-ventilated areas. Do not breathe fumes or mists. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Keep away from heat and flame. Keep away from incompatibles. Keep only in original container. Keep containers tightly closed when not in use.

Conditions for safe storage : Store in a well-ventilated place. Keep container tightly closed. Store locked up. Keep away from incompatibles. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. Store in corrosion-resistant containers. Store locked up.

Incompatible materials : Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<u>Chemical Name</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>	
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
	Sodium metasilicate pentahydrate	N/Av	N/Av	N/Av
Ethylenediamine-tetraacetic acid (EDTA)	N/Av	N/Av	N/Av	N/Av
Dodecylbenzenesulfonic acid	N/Av	N/Av	N/Av	N/Av
2-butoxyethanol	20 ppm	N/Av	50 ppm (240 mg/m ³) (skin)	N/Av
Benzenesulfonic acid C10-16-alkyl derivatives, sodium salts	N/Av	N/Av	N/Av	N/Av

Exposure controls



FOAMAXX 44

SDS Preparation Date (mm/dd/yyyy): 12/18/2018

Page 5 of 12

SAFETY DATA SHEET

Ventilation and engineering measures

: Use only in well-ventilated areas. Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits.

Respiratory protection

: Respiratory protection is required if the concentrations exceed the TLV. NIOSH-approved respirators are recommended. Seek advice from respiratory protection specialists.

Skin protection

: Wear protective gloves/clothing. Advice should be sought from glove suppliers. Wear appropriate protective clothing to prevent skin contact, such as coveralls or long sleeved shirt, long pants, and shoes and socks.

Eye / face protection

: Chemical splash goggles must be worn when handling this material. A full face shield may also be necessary.

Other protective equipment

: An eyewash station and safety shower should be made available in the immediate working area. Other equipment may be required depending on workplace standards.

General hygiene considerations

: Do not breathe fumes or mists. Do not ingest. Avoid contact with skin, eyes and clothing. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Clear amber liquid.

Odour : No odour.

Odour threshold : Not applicable.

pH : 10.5

Melting/Freezing point : -10°C

Initial boiling point and boiling range

: 110°C

Flash point : Not applicable.

Flashpoint (Method) : Not applicable.

Evaporation rate (BuAe = 1) : N/Av

Flammability (solid, gas) : Not applicable.

Lower flammable limit (% by vol.)

: Not applicable.

Upper flammable limit (% by vol.)

: Not applicable.

Oxidizing properties : None known.

Explosive properties : Not explosive

Vapour pressure : Not available.

Vapour density : Not available.

Relative density / Specific gravity

: 1.02

Solubility in water : Very soluble

Other solubility(ies) : Not available.

Partition coefficient: n-octanol/water or Coefficient of water/oil distribution

: Not available.

Auto-ignition temperature : Not applicable.

Decomposition temperature : Not available.

Viscosity : 2 cSt

Volatiles (% by weight) : Not available.

Volatile organic Compounds (VOC's)

: Not available.



FOAMAXX 44

SDS Preparation Date (mm/dd/yyyy): 12/18/2018

Page 6 of 12

SAFETY DATA SHEET

Absolute pressure of container

: Not applicable.

Flame projection length

: Not applicable.

Other physical/chemical comments

: None known or reported by the manufacturer.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not normally reactive. May be corrosive to metals. Contact with most metals will generate flammable hydrogen gas.

Chemical stability : Material is stable under normal conditions.

Possibility of hazardous reactions

: Hazardous polymerization does not occur.

Conditions to avoid

: Avoid heat and open flame. Keep away from incompatibles. Keep container tightly closed when not in use.

Incompatible materials

: See Section 7 (Handling and Storage) for further details.

Hazardous decomposition products

: None known, refer to hazardous combustion products in Section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry inhalation : YES

Routes of entry skin & eye : YES

Routes of entry Ingestion : YES

Routes of exposure skin absorption

: NO

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

: May cause severe irritation to the nose, throat and respiratory tract. Symptoms may include coughing, choking and wheezing. Could result in pulmonary edema (fluid accumulation). Symptoms of pulmonary edema (chest pain, shortness of breath) may be delayed.

Sign and symptoms ingestion

: May cause severe irritation and corrosive damage in the mouth, throat and stomach. Symptoms may include abdominal pain, vomiting, burns, perforations, bleeding and eventually death.

Sign and symptoms skin

: Causes skin burns. Symptoms may include redness, blistering, pain and swelling.

Sign and symptoms eyes

: Causes serious eye damage. Symptoms may include severe pain, tearing, redness, swelling and blurred vision. Permanent eye damage including blindness could result.

Potential Chronic Health Effects

: Chronic skin contact with low concentrations may cause dermatitis.

Mutagenicity

: Not expected to be mutagenic in humans.

Carcinogenicity

: No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Reproductive effects & Teratogenicity

: Not expected to have other reproductive effects.

Sensitization to material

: Not expected to be a skin or respiratory sensitizer.



FOAMAXX 44

SDS Preparation Date (mm/dd/yyyy): 12/18/2018

Page 7 of 12

SAFETY DATA SHEET

Specific target organ effects : Target Organs: Eyes, skin, respiratory system and digestive system.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Classification: Specific Target Organ Toxicity, Single Exposure -Category 3 (respiratory) May cause respiratory irritation.

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Medical conditions aggravated by overexposure

: Pre-existing skin, eye and respiratory disorders.

Synergistic materials

: Not available.

Toxicological data

: There is no available data for the product itself, only for the ingredients. See below for individual ingredient acute toxicity data.

The calculated ATE values for this mixture are:

ATE dermal =44,444 mg/kg

ATE oral = 6408.76 mg/kg

<u>Chemical name</u>	<u>LC₅₀(4hr)</u> <u>inh, rat</u>	<u>LD₅₀</u>	
		<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
Sodium metasilicate pentahydrate	> 2.06 mg/L (mist) (No mortality) (anhydrous)	1152 - 1349 mg/kg (anhydrous)	> 5000 mg/kg (anhydrous)
Ethylenediamine-tetraacetic acid (EDTA)	N/Av	1700 mg/kg	N/Av
Dodecylbenzenesulfonic acid	N/Av	650 mg/kg	2000 mg/kg
2-butoxyethanol	450 ppm (2.175 mg/L) (vapour)	530 mg/kg	400 - 500 mg/kg
Benzenesulfonic acid C10-16-alkyl derivatives, sodium salts	N/Av	N/Av	N/Av

Other important toxicological hazards

: None known or reported by the manufacturer.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

: Not expected to be harmful to aquatic organisms. However, these ingredients are present at such low levels, they are not expected to affect environmental toxicity. Avoid release to the environment.

Ecotoxicity data:

<u>Ingredients</u>	<u>CAS No</u>	<u>Toxicity to Fish</u>		
		<u>LC₅₀ / 96h</u>	<u>NOEC / 21 day</u>	<u>M Factor</u>
Sodium metasilicate pentahydrate	10213-79-3	260 - 310 mg/L (Rainbow trout)	N/Av	None.
Ethylenediamine-tetraacetic acid (EDTA)	60-00-4	>41mg/L (Bluegill sunfish)	N/Av	None.
Dodecylbenzenesulfonic acid	27176-87-0	3.2 - 5.6 mg/L (Rainbow trout)	1.121 mg/L (30 days) (QSAR)	None.
2-butoxyethanol	111-76-2	1490 mg/L (Bluegill sunfish)	> 100 mg/L (Zebra fish)	None.



FOAMAXX 44

SDS Preparation Date (mm/dd/yyyy): 12/18/2018

Page 8 of 12

SAFETY DATA SHEET

<u>Ingredients</u>	CAS No	<u>Toxicity to Daphnia</u>		
		<u>EC50 / 48h</u>	<u>NOEC / 21 day</u>	<u>M Factor</u>
Sodium metasilicate pentahydrate	10213-79-3	1700 mg/L (Daphnia magna)	N/Av	None.
Ethylenediamine-tetraacetic acid (EDTA)	60-00-4	140mg/L (Daphnia magna)	N/Av	None.
Dodecylbenzenesulfonic acid	27176-87-0	5.88 mg/L (Daphnia magna)	1.65 mg/L (Read-across)	None.
2-butoxyethanol	111-76-2	835 mg/L (Daphnia magna)	100 mg/L	None.

<u>Ingredients</u>	CAS No	<u>Toxicity to Algae</u>		
		<u>EC50 / 96h or 72h</u>	<u>NOEC / 96h or 72h</u>	<u>M Factor</u>
Sodium metasilicate pentahydrate	10213-79-3	≥ 345 mg/L/72hr (Green algae)	N/Av	None.
Ethylenediamine-tetraacetic acid (EDTA)	60-00-4	>100mg/L (Green algae)	N/Av	None.
Dodecylbenzenesulfonic acid	27176-87-0	65.4 mg/L/72hr (Green algae)	7.9 mg/L/72hr	None.
2-butoxyethanol	111-76-2	911 mg/L/72hr (Green algae)	286 mg/L/72hr	None.

Persistence and degradability

: No data is available on the product itself.

Bioaccumulation potential

: No data is available on the product itself.

<u>Components</u>	<u>Partition coefficient n-octanol/water (log Kow)</u>	<u>Bioconcentration factor (BCF)</u>
Sodium metasilicate pentahydrate (CAS 10213-79-3)	N/Av	N/Av
Ethylenediamine-tetraacetic acid (EDTA) (CAS 60-00-4)	N/Av	N/Av
Dodecylbenzenesulfonic acid (CAS 27176-87-0)	1.96	36 - 119
2-butoxyethanol (CAS 111-76-2)	0.8	0.97

Mobility in soil

: No data is available on the product itself.

Other Adverse Environmental effects

: No data is available on the product itself.

SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal

: Handle waste according to recommendations in Section 7.

Methods of Disposal

: Dispose in accordance with all applicable federal, state, provincial and local regulations.

RCRA

: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. For disposal of unused or waste material, check with local, state and federal environmental agencies.







FOAMAXX 44

SDS Preparation Date (mm/dd/yyyy): 12/18/2018

Page 9 of 12

SAFETY DATA SHEET

SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
TDG	None.	Not regulated.	not regulated	none	
TDG Additional information	None.				
49CFR/DOT	None.	Not regulated.	not regulated	none	
49CFR/DOT Additional information	None.				
ICAO/IATA	None.	Not regulated.	not regulated	none	
ICAO/IATA Additional information	None.				
IMDG	None.	Not regulated.	not regulated	none	
IMDG Additional information	None.				

Special precautions for user : None reported by the manufacturer.

Environmental hazards : This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not available.

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:



FOAMAXX 44

SDS Preparation Date (mm/dd/yyyy): 12/18/2018

SAFETY DATA SHEET

<u>Ingredients</u>	CAS #	TSCA Inventory	CERCLA Reportable Quantity(RQ) (40 CFR 117.302):	SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical	
					Toxic Chemical	de minimus Concentration
Sodium metasilicate pentahydrate	10213-79-3	NL	N/Ap	N/Av	No	N/Ap
Ethylenediamine-tetraacetic acid (EDTA)	60-00-4	Yes	5000 lb/ 2270 kg	N/Av	No	N/Ap
Dodecylbenzenesulfonic acid	27176-87-0	Yes	1000 lb/ 454 kg	None.	No	N/Ap
2-butoxyethanol	111-76-2	Yes	None.	None.	No	N/Ap
Benzenesulfonic acid C10-16-alkyl derivatives, sodium salts	68081-81-2	Yes	N/Ap	N/Av	No	N/Ap

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Corrosive to metals; Skin corrosion; Eye Damage; Specific target organ toxicity, single exposure. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

<u>Ingredients</u>	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Sodium metasilicate pentahydrate	10213-79-3	No	N/Ap	No	No	No	No	No	No
Ethylenediamine-tetraacetic acid (EDTA)	60-00-4	No	N/Ap	Yes	Yes	No	Yes	Yes	No
Dodecylbenzenesulfonic acid	27176-87-0	No	N/Ap	Yes	Yes	No	Yes	Yes	No
2-butoxyethanol	111-76-2	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes
Benzenesulfonic acid C10-16-alkyl derivatives, sodium salts	68081-81-2	No	N/Ap	No	No	No	No	No	No

Canadian Information:

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product. All ingredients listed appear on the Domestic Substances List (DSL) except: CAS#10213-79-3

International Information:

Components listed below are present on the following International Inventory list:



FOAMAXX 44

SDS Preparation Date (mm/dd/yyyy): 12/18/2018

Page 11 of 12

SAFETY DATA SHEET

Ingredients	CAS #	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Sodium metasilicate pentahydrate	10213-79-3	229-912-9 (anhydrous)	Present	Present	(1)-508	KE-12354	Present	HSR003419
Ethylenediamine-tetraacetic acid (EDTA)	60-00-4	200-449-4	Present	Present	(2)-1296; (2)-1263	KE-13648	Present	HSR003060
Dodecylbenzenesulfonic acid	27176-87-0	248-289-4	Present	Present	(3)-1907; (3)-1884	KE-12947	Present	HSR003407
2-butoxyethanol	111-76-2	203-905-0	Present	Present	(7)-97; (2)-407	KE-04134	Present	HSR001154
Benzenesulfonic acid C10-16-alkyl derivatives, sodium salts	68081-81-2	268-356-1	Present	Present	(3)-1898	KE-02630	Present	N/Av

SECTION 16. OTHER INFORMATION

Legend

: ACGIH: American Conference of Governmental Industrial Hygienists
CA: California
CAS: Chemical Abstract Services
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980
CFR: Code of Federal Regulations
CSA: Canadian Standards Association
DOT: Department of Transportation
EPA: Environmental Protection Agency
HMIS: Hazardous Materials Identification System
HSDB: Hazardous Substances Data Bank
IARC: International Agency for Research on Cancer
IATA: International Air Transport Association
ICAO: International Civil Aviation Organisation
IMDG: International Maritime Dangerous Goods
Inh: Inhalation
LC: Lethal Concentration
LD: Lethal Dose
MA: Massachusetts
MN: Minnesota
N/Av: Not Applicable
N/Av: Not Available
NFPA: National Fire Protection Association
NIOSH: National Institute of Occupational Safety and Health
NJ: New Jersey
NTP: National Toxicology Program
OSHA: Occupational Safety and Health Administration
PA: Pennsylvania
PEL: Permissible exposure limit
RCRA: Resource Conservation and Recovery Act
RI: Rhode Island
RTECS: Registry of Toxic Effects of Chemical Substances
SARA: Superfund Amendments and Reauthorization Act
STEL: Short Term Exposure Limit
TDG: Canadian Transportation of Dangerous Goods Act & Regulations
TLV: Threshold Limit Values
TWA: Time Weighted Average
WHMIS: Workplace Hazardous Materials Identification System



FOAMAXX 44

SDS Preparation Date (mm/dd/yyyy): 12/18/2018

Page 12 of 12

SAFETY DATA SHEET

- References** :
1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2018.
 2. International Agency for Research on Cancer Monographs, searched 2018.
 3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases, 2018 (Chempendium, HSDB and RTECs).
 4. Material Safety Data Sheets from manufacturer.
 5. US EPA Title III List of Lists - March 2015 version.
 6. California Proposition 65 List - November 23, 2018 version.
 7. OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2018.

Preparation Date (mm/dd/yyyy)

: 12/18/2018

Other special considerations for handling

: Provide adequate information, instruction and training for operators.

<p>Prepared for: CONCEPTUAL TECHNOLOGIES INC 6812/14-78 Avenue NW Edmonton, AB T6B 2J5 Telephone: 780-466-6146</p>	
<p>Prepared by: ICC The Compliance Center Inc. Telephone: (888) 442-9628 (U.S.); (888) 977-4834 (Canada) http://www.thecompliancecenter.com</p>	

DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by CONCEPTUAL TECHNOLOGIES INC. and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and CONCEPTUAL TECHNOLOGIES INC expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and CONCEPTUAL TECHNOLOGIES INC

END OF DOCUMENT