



ART 1000 SB

SDS Preparation Date (mm/dd/yyyy): 12/18/2018

Page 1 of 12

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product identifier used on the label

: **ART 1000 SB**

Product Code(s) : SC610.03

Recommended use of the chemical and restrictions on use

: Scale and oxide remover
Recommended restrictions: No restrictions on use known.

Chemical family : Mixture

Name, address, and telephone number
of the supplier:

CONCEPTUAL TECHNOLOGIES INC

6812/14-78 Avenue NW
Edmonton, AB, Canada
T6B 2J5

Supplier's Telephone # : 780-466-6146 [9:00 am - 5:00 pm]

24 Hr. Emergency Tel # : 780-466-6146

Name, address, and telephone number of
the manufacturer:

Refer to supplier

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Clear amber liquid. Characteristic odour.

Most important hazards: Causes severe skin burns and eye damage. May be corrosive to metals. May cause respiratory irritation. Ingestion may cause severe burns to the mucous membranes of the digestive tract. Avoid release to the environment.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification:

Corrosive to Metals - Category 1

Skin Corrosion/Irritation - Category 1

Eye Damage/Irritation - Category 1

Specific Target Organ Toxicity, Single Exposure -Category 3 (respiratory)

Label elements

Hazard pictogram(s)



Signal Word

DANGER!

Hazard statement(s)

May be corrosive to metals.
Causes severe skin burns and eye damage.
May cause respiratory irritation.



ART 1000 SB

SDS Preparation Date (mm/dd/yyyy): 12/18/2018

Page 2 of 12

SAFETY DATA SHEET

Precautionary statement(s)

Keep only in original container.
Do not breathe mist.
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/clothing and eye/face protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
Wash contaminated clothing before reuse.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Immediately call a POISON CENTER or doctor/physician.
Absorb spillage to prevent material damage.

Store in corrosive resistant container with a resistant inner liner.
Store locked up.
Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local regulation.

Other hazards

Other hazards which do not result in classification:

Burning produces obnoxious and toxic fumes. Chronic skin contact with low concentrations may cause dermatitis.
Contact with metals may release small amounts of flammable hydrogen gas.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

<u>Chemical name</u>	<u>Common name and synonyms</u>	<u>CAS #</u>	<u>Concentration (% by weight)</u>
Phosphoric acid	Hydrogen Phosphate	7664-38-2	60.0 - 80.0
Citric acid	2-Hydroxypropanetricarboxylic acid	77-92-9	10.0 - 30.0
Phosphonic acid, (1-hydroxyethylidene)bis-	Etidronic Acid	2809-21-4	15.0 - 40.0
2-Propenoic acid, methyl ester, reaction products with 2-ethyl-1-hexanamine and sodium hydroxide	Sodium Mixed C8 Amphocarboxylate	68610-44-6	1.0 - 5.0

The exact concentrations of the above listed chemicals are being withheld as a trade secret.

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

- Ingestion* : Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Have victim rinse mouth with water, then give one to two glasses of water to drink. Seek immediate medical attention/advice.
- Inhalation* : Immediately remove person to fresh air. If breathing is difficult, give oxygen by qualified medical personnel only. If breathing has stopped, give artificial respiration. Seek immediate medical attention/advice.



ART 1000 SB

SDS Preparation Date (mm/dd/yyyy): 12/18/2018

Page 3 of 12

SAFETY DATA SHEET

Skin contact : Wear appropriate protective equipment. Remove/Take off immediately all contaminated clothing. Immediately flush skin with gently flowing, running water for at least 20 minutes. Do not rub area of contact. Obtain medical attention immediately. Wash contaminated clothing before reuse. Contaminated leather may require disposal.

Eye contact : Wear appropriate protective equipment. Protect unharmed eye. If in contact with eyes, immediately flush eyes with running water for at least 20 minutes. If contact lens is present, DO NOT delay flushing or attempt to remove the lens until flushing is done. Obtain medical attention immediately.

Most important symptoms and effects, both acute and delayed

: Causes severe skin irritation. Symptoms may include redness, blistering, pain and swelling. Causes serious eye damage. Symptoms may include severe pain, blurred vision, redness and corrosive damage. May cause respiratory irritation. Symptoms may include coughing, choking and wheezing. Could result in pulmonary edema (fluid accumulation). Symptoms of pulmonary edema (chest pain, shortness of breath) may be delayed. Ingestion may cause severe burns to the mucous membranes of the digestive tract. Symptoms may include abdominal pain, vomiting, burns, perforations and bleeding.

Indication of any immediate medical attention and special treatment needed

: Immediate medical attention is required. Causes chemical burns. Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

: Use media suitable to the surrounding fire such as water fog or fine spray, alcohol foams, carbon dioxide and dry chemical. Use water spray with caution.

Unsuitable extinguishing media

: Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture / Conditions of flammability

: Not considered flammable. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure. Contact with most metals will generate flammable hydrogen gas.

Flammability classification (OSHA 29 CFR 1910.106)

: Not flammable.

Hazardous combustion products

: Phosphorus oxides, Carbon oxides, Sodium oxides.

Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Special fire-fighting procedures

: Move containers from fire area if safe to do so. Use water to cool fire-exposed containers. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply or any natural waterway. Dike for water control.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment including self-contained breathing apparatus. Refer to Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION, for additional information on acceptable personal protective equipment.



ART 1000 SB

SDS Preparation Date (mm/dd/yyyy): 12/18/2018

Page 4 of 12

SAFETY DATA SHEET

Environmental precautions : Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply.

Methods and material for containment and cleaning up

- : Remove all sources of ignition. Ventilate area of release. Stop the spill at source if it is safe to do so. Dike for water control. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Notify the appropriate authorities as required.

Special spill response procedures

- : If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802).
US CERCLA Reportable quantity (RQ): See section 15.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

- : Wear protective gloves/clothing and eye/face protection. Use only in well-ventilated areas. Do not breathe fumes or mists. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Keep away from heat and flame. Keep away from incompatibles. Keep only in original container. Keep containers tightly closed when not in use.

Conditions for safe storage : Store in a well-ventilated place. Keep container tightly closed. Store locked up. Keep away from incompatibles. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. Store in corrosion-resistant containers.

Incompatible materials : Strong bases, strong oxidizing agents (e.g. Chlorides, peroxides), metals, reducing agents (e.g. cyanides, metal hydrides).

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<u>Chemical Name</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>	
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
	Phosphoric acid	1 mg/m ³	3 mg/m ³	1 mg/m ³
Citric acid	N/Av	N/Av	N/Av	N/Av
Phosphonic acid, (1-hydroxyethylidene)bis-	N/Av	N/Av	N/Av	N/Av
2-Propanoic acid, methyl ester, reaction products with 2-ethyl-1-hexanamine and sodium hydroxide	N/Av	N/Av	N/Av	N/Av

Exposure controls

Ventilation and engineering measures

- : Use only in well-ventilated areas. Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits.

Respiratory protection

- : Respiratory protection is required if the concentrations exceed the TLV. NIOSH-approved respirators are recommended. Seek advice from respiratory protection specialists.



ART 1000 SB

SDS Preparation Date (mm/dd/yyyy): 12/18/2018

Page 5 of 12

SAFETY DATA SHEET

- Skin protection** : Wear protective gloves/clothing. Advice should be sought from glove suppliers. Wear appropriate protective clothing to prevent skin contact, such as coveralls or long sleeved shirt, long pants, and shoes and socks.
- Eye / face protection** : Chemical splash goggles must be worn when handling this material. A full face shield may also be necessary.
- Other protective equipment** : An eyewash station and safety shower should be made available in the immediate working area. Other equipment may be required depending on workplace standards.
- General hygiene considerations** : Do not breathe fumes or mists. Do not ingest. Avoid contact with skin, eyes and clothing. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance** : Clear amber liquid.
- Odour** : Characteristic odour.
- Odour threshold** : Not applicable.
- pH** : 0.3
- Melting/Freezing point** : -40°C
- Initial boiling point and boiling range** : 108°C
- Flash point** : Not applicable.
- Flashpoint (Method)** : Not applicable.
- Evaporation rate (BuAe = 1)** : N/Av
- Flammability (solid, gas)** : Not applicable.
- Lower flammable limit (% by vol.)** : Not applicable.
- Upper flammable limit (% by vol.)** : Not applicable.
- Oxidizing properties** : None known.
- Explosive properties** : Not explosive
- Vapour pressure** : Not available.
- Vapour density** : Not available.
- Relative density / Specific gravity** : 1.32
- Solubility in water** : Very soluble
- Other solubility(ies)** : Not available.
- Partition coefficient: n-octanol/water or Coefficient of water/oil distribution** : Not available.
- Auto-ignition temperature** : Not applicable.
- Decomposition temperature** : Not available.
- Viscosity** : 4 cSt
- Volatiles (% by weight)** : Not available.
- Volatile organic Compounds (VOC's)** : Not available.
- Absolute pressure of container** : Not applicable.
- Flame projection length** : Not applicable.
- Other physical/chemical comments** : None known or reported by the manufacturer.



ART 1000 SB

SDS Preparation Date (mm/dd/yyyy): 12/18/2018

Page 6 of 12

SAFETY DATA SHEET

SECTION 10. STABILITY AND REACTIVITY

- Reactivity** : Not normally reactive. May be corrosive to metals. Contact with most metals will generate flammable hydrogen gas.
- Chemical stability** : Material is stable under normal conditions.
- Possibility of hazardous reactions** : Hazardous polymerization does not occur.
- Conditions to avoid** : Avoid heat and open flame. Keep away from incompatibles. Keep container tightly closed when not in use.
- Incompatible materials** : See Section 7 (Handling and Storage) for further details.
- Hazardous decomposition products** : None known, refer to hazardous combustion products in Section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

- Routes of entry inhalation** : YES
- Routes of entry skin & eye** : YES
- Routes of entry Ingestion** : YES
- Routes of exposure skin absorption** : NO

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

- : May cause severe irritation to the nose, throat and respiratory tract. Symptoms may include coughing, choking and wheezing. Could result in pulmonary edema (fluid accumulation). Symptoms of pulmonary edema (chest pain, shortness of breath) may be delayed.

Sign and symptoms ingestion

- : May cause severe irritation and corrosive damage in the mouth, throat and stomach. Symptoms may include abdominal pain, vomiting, burns, perforations, bleeding and eventually death.

Sign and symptoms skin

- : Causes skin burns. Symptoms may include redness, blistering, pain and swelling.

Sign and symptoms eyes

- : Causes serious eye damage. Symptoms may include severe pain, tearing, redness, swelling and blurred vision. Permanent eye damage including blindness could result.

Potential Chronic Health Effects

- : Chronic skin contact with low concentrations may cause dermatitis.
- Mutagenicity** : Not expected to be mutagenic in humans.
- Carcinogenicity** : No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.
- Reproductive effects & Teratogenicity** : Not expected to have other reproductive effects.
- Sensitization to material** : Not expected to be a skin or respiratory sensitizer.



ART 1000 SB

SDS Preparation Date (mm/dd/yyyy): 12/18/2018

Page 7 of 12

SAFETY DATA SHEET

Specific target organ effects : Target Organs: Eyes, skin, respiratory system and digestive system.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Classification: Specific Target Organ Toxicity, Single Exposure -Category 3 (respiratory) May cause respiratory irritation.

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Medical conditions aggravated by overexposure

: Pre-existing skin, eye and respiratory disorders.

Synergistic materials

: Not available.

Toxicological data

: There is no available data for the product itself, only for the ingredients. See below for individual ingredient acute toxicity data.

The calculated ATE values for this mixture are: ATE oral = 14,222.22 mg/kg

<u>Chemical name</u>	<u>LC₅₀(4hr)</u> <u>inh, rat</u>	<u>LD₅₀</u>	
		<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
Phosphoric acid	N/Av	3500 mg/kg (85%); 4400 mg/kg (75%)	> 1260 mg/kg (85%); > 3160 mg/kg (75%)
Citric acid	N/Av	3000 mg/kg	> 2000 mg/kg (No mortality)
Phosphonic acid, (1-hydroxyethylidene)bis-	N/Av	2400 mg/kg	N/Av
2-Propenoic acid, methyl ester, reaction products with 2-ethyl-1-hexanamine and sodium hydroxide	82.1 mg/L (6hr)	>2000 mg/kg	>2000 mg/kg

Other important toxicological hazards

: None known or reported by the manufacturer.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

: Not expected to be harmful to aquatic organisms. However, these ingredients are present at such low levels, they are not expected to affect environmental toxicity. Avoid release to the environment.

Ecotoxicity data:

<u>Ingredients</u>	<u>CAS No</u>	<u>Toxicity to Fish</u>		
		<u>LC50 / 96h</u>	<u>NOEC / 21 day</u>	<u>M Factor</u>
Phosphoric acid	7664-38-2	75.1 mg/L (Japanese ricefish)	N/Av	None.
Citric acid	77-92-9	1516 mg/L (Bluegill sunfish)	N/Av	None.
Phosphonic acid, (1-hydroxyethylidene)bis-	2809-21-4	195mg/L	N/Av	None.
2-Propenoic acid, methyl ester, reaction products with 2-ethyl-1-hexanamine and sodium hydroxide	68610-44-6	>100 mg/L	N/Av	None.



ART 1000 SB

SDS Preparation Date (mm/dd/yyyy): 12/18/2018

Page 8 of 12

SAFETY DATA SHEET

<u>Ingredients</u>	CAS No	Toxicity to Daphnia		
		EC50 / 48h	NOEC / 21 day	M Factor
Phosphoric acid	7664-38-2	376 mg/L (Daphnia magna)	N/Av	None.
Citric acid	77-92-9	1535 mg/L/24hr (Daphnia magna)	N/Av	None.
Phosphonic acid, (1-hydroxyethylidene)bis-	2809-21-4	527mg/L (Daphnia magna)	6.75mg/L (Daphnia magna)	None.
2-Propenoic acid, methyl ester, reaction products with 2-ethyl-1-hexanamine and sodium hydroxide	68610-44-6	>100 mg/L (Daphnia magna)	N/Av	None.

<u>Ingredients</u>	CAS No	Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
Phosphoric acid	7664-38-2	32 mg/L/72hr (Green algae)	N/Av	None.
Citric acid	77-92-9	> 18 000 mg/L/96hr (Green algae)	N/Av	None.
Phosphonic acid, (1-hydroxyethylidene)bis-	2809-21-4	7.25 mg/L (Green algae)	N/Av	None.
2-Propenoic acid, methyl ester, reaction products with 2-ethyl-1-hexanamine and sodium hydroxide	68610-44-6	1.9 mg/L (Green algae)	N/Av	None.

Persistence and degradability

: No data is available on the product itself.

Bioaccumulation potential

: No data is available on the product itself.

<u>Components</u>	<u>Partition coefficient n-octanol/water (log Kow)</u>	<u>Bioconcentration factor (BCF)</u>
Citric acid (CAS 77-92-9)	- 1.72	3 (estimated)
Phosphonic acid, (1-hydroxyethylidene)bis- (CAS 2809-21-4)	3.49	<50 BCF method: OECD 305
2-Propenoic acid, methyl ester, reaction products with 2-ethyl-1-hexanamine and sodium hydroxide (CAS 68610-44-6)	-1.5	N/Av

Mobility in soil : No data is available on the product itself.

Other Adverse Environmental effects

: No data is available on the product itself.

SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal

: Handle waste according to recommendations in Section 7.

Methods of Disposal

: Dispose in accordance with all applicable federal, state, provincial and local regulations.



ART 1000 SB

SDS Preparation Date (mm/dd/yyyy): 12/18/2018

Page 9 of 12

SAFETY DATA SHEET

RCRA : If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. For disposal of unused or waste material, check with local, state and federal environmental agencies.

SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
TDG	UN1760	CORROSIVE LIQUID, N.O.S. (Phosphoric Acid)	8	II	
TDG Additional information	May be shipped as LIMITED QUANTITY when transported in quantities no larger than 1 Litre, in packages not exceeding 30 kg gross mass.				
49CFR/DOT	UN1760	Corrosive liquid, n.o.s. (Phosphoric Acid)	8	II	
49CFR/DOT Additional information	May be shipped as a limited quantity in receptacles not exceeding 1.0 Liters, according to 49 CFR 173.154.				
ICAO/IATA	UN1760	Corrosive liquid, n.o.s. (Phosphoric Acid)	8	II	
ICAO/IATA Additional information	Refer to ICAO/IATA Packing Instruction				
IMDG	UN1760	CORROSIVE LIQUID, N.O.S. (Phosphoric Acid)	8	II	
IMDG Additional information	Consult the IMDG regulations for exceptions.				

Special precautions for user : None reported by the manufacturer.

Environmental hazards : This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
 : Not available.

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:



ART 1000 SB

SDS Preparation Date (mm/dd/yyyy): 12/18/2018

Page 10 of 12

SAFETY DATA SHEET

<u>Ingredients</u>	CAS #	TSCA Inventory	CERCLA Reportable Quantity(RQ) (40 CFR 117.302):	SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical	
					Toxic Chemical	de minimus Concentration
Phosphoric acid	7664-38-2	Yes	5000 lbs / 2270 kg	None.	No	N/Ap
Citric acid	77-92-9	Yes	None.	None.	No	N/Ap
Phosphonic acid, (1-hydroxyethylidene)bis-	2809-21-4	Yes	None.	N/Av	No	N/Ap
2-Propenoic acid, methyl ester, reaction products with 2-ethyl-1-hexanamine and sodium hydroxide	68610-44-6	Yes	N/Ap	N/Av	No	N/Ap

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Corrosive to metals; Skin corrosion; Eye Damage; Specific target organ toxicity, single exposure. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

<u>Ingredients</u>	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Phosphoric acid	7664-38-2	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes
Citric acid	77-92-9	No	N/Ap	No	No	No	No	No	No
Phosphonic acid, (1-hydroxyethylidene)bis-	2809-21-4	No	N/Ap	No	No	No	No	No	No
2-Propenoic acid, methyl ester, reaction products with 2-ethyl-1-hexanamine and sodium hydroxide	68610-44-6	No	N/Ap	No	No	No	No	No	No

Canadian Information:

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product.

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

International Information:

Components listed below are present on the following International Inventory list:



ART 1000 SB

SDS Preparation Date (mm/dd/yyyy): 12/18/2018

Page 11 of 12

SAFETY DATA SHEET

<u>Ingredients</u>	<u>CAS #</u>	<u>European EINECs</u>	<u>Australia AICS</u>	<u>Philippines PICCS</u>	<u>Japan ENCS</u>	<u>Korea KECI/KECL</u>	<u>China IECSC</u>	<u>NewZealand IOC</u>
Phosphoric acid	7664-38-2	231-633-2	Present	Present	(1)-422	KE-27427	Present	HSR001545, HSR001571 (dilution)
Citric acid	77-92-9	201-069-1	Present	Present	(2)-1318	KE-20831	Present	HSR003138
Phosphonic acid, (1-hydroxyethylidene)bis-	2809-21-4	220-552-8	Present	Present	(2)-2936; (2)-1866	KE-20516	Present	HSR003147
2-Propenoic acid, methyl ester, reaction products with 2-ethyl-1-hexanamine and sodium hydroxide	68610-44-6	271-865-1	N/Av	Present	N/Av	N/Av	Present	N/Av

SECTION 16. OTHER INFORMATION

Legend

: ACGIH: American Conference of Governmental Industrial Hygienists
CA: California
CAS: Chemical Abstract Services
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980
CFR: Code of Federal Regulations
CSA: Canadian Standards Association
DOT: Department of Transportation
EPA: Environmental Protection Agency
HMIS: Hazardous Materials Identification System
HSDB: Hazardous Substances Data Bank
IARC: International Agency for Research on Cancer
IATA: International Air Transport Association
ICAO: International Civil Aviation Organisation
IMDG: International Maritime Dangerous Goods
Inh: Inhalation
LC: Lethal Concentration
LD: Lethal Dose
MA: Massachusetts
MN: Minnesota
N/Av: Not Available
N/Ap: Not Applicable
NFPA: National Fire Protection Association
NIOSH: National Institute of Occupational Safety and Health
NJ: New Jersey
NTP: National Toxicology Program
OSHA: Occupational Safety and Health Administration
PA: Pennsylvania
PEL: Permissible exposure limit
RCRA: Resource Conservation and Recovery Act
RI: Rhode Island
RTECS: Registry of Toxic Effects of Chemical Substances
SARA: Superfund Amendments and Reauthorization Act
STEL: Short Term Exposure Limit
TDG: Canadian Transportation of Dangerous Goods Act & Regulations
TLV: Threshold Limit Values
TWA: Time Weighted Average
WHMIS: Workplace Hazardous Materials Identification System



ART 1000 SB

SDS Preparation Date (mm/dd/yyyy): 12/18/2018

Page 12 of 12

SAFETY DATA SHEET

- References** :
1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2018.
 2. International Agency for Research on Cancer Monographs, searched 2018.
 3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases, 2018 (Chempendium, HSDB and RTECs).
 4. Material Safety Data Sheets from manufacturer.
 5. US EPA Title III List of Lists - March 2015 version.
 6. California Proposition 65 List - November 23, 2018 version.
 7. OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2018.

Preparation Date (mm/dd/yyyy)

: 12/18/2018

Other special considerations for handling

: Provide adequate information, instruction and training for operators.

<p>Prepared for: CONCEPTUAL TECHNOLOGIES INC 6812/14-78 Avenue NW Edmonton, AB T6B 2J5 Telephone: 780-466-6146</p>	
<p>Prepared by: ICC The Compliance Center Inc. Telephone: (888) 442-9628 (U.S.); (888) 977-4834 (Canada) http://www.thecompliancecenter.com</p>	

DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by CONCEPTUAL TECHNOLOGIES INC. and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and CONCEPTUAL TECHNOLOGIES INC expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and CONCEPTUAL TECHNOLOGIES INC

END OF DOCUMENT